

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-88. (canceled).

89. (currently amended) A method of forming arrays of oligonucleotides on a solid support comprising:

providing a solid support having an array of positions each suitable for attachment of an oligonucleotide;

attaching linkers to the solid support ~~surface~~ surfaces, wherein the linkers are suitable for coupling oligonucleotides to the solid support, at each of the array positions; and

forming an array of a plurality of capture oligonucleotides on the solid support by a series of cycles, each of the cycles comprising:

activating selected array positions for attachment of multimer nucleotides;

selecting multimer nucleotides with nucleotide sequences differing from each other by at least 2 nucleotides, wherein no two dimers in ~~the multimers~~ a multimer are complementary to each other and the multimers would not result in self-pairing or hairpin formulation; and

attaching the multimer nucleotides at the activated array positions, wherein the multimer nucleotides are selected so that the plurality of capture oligonucleotides formed by attachment of a plurality of the multimer nucleotides at each activated array position each have greater than sixteen nucleotides and have nucleotide sequences selected to hybridize with complementary oligonucleotide target sequences under uniform hybridization conditions across the array of oligonucleotides and so that each capture oligonucleotide of the array differs in sequence from its adjacent capture oligonucleotide, when aligned to each other by at least 25% of the nucleotides, of the capture oligonucleotides have substantial sequence differences to prevent cross-reactivity, wherein the multimer is formed from multiple nucleotides linked together

90. (previously presented) The method according to claim 89, wherein said forming comprises:

applying a multimer nucleotide along parallel rows of the solid support;

turning the support 90 degrees;

attaching a multimer nucleotide along parallel rows of the solid support to form oligonucleotides at row intersections having 2 sets of multimer nucleotides; and

repeating said applying, turning, and attaching until the oligonucleotides at the row intersections have 6 sets of multimer nucleotides.

91. (previously presented) The method according to claim 89, wherein the solid support is made from a material selected from the group consisting of plastic, ceramic, metal, resin, gel, glass, silicon, and composites thereof.

92. (previously presented) The method according to claim 89, wherein the solid support is in a form selected from the group consisting of slides, discs, membranes, films, and composites thereof.

93. (previously presented) The method according to claim 89, wherein the solid support has an array of positions with the capture oligonucleotides at different positions having different nucleotide sequences.

94. (previously presented) The method according to claim 93, wherein the solid support has wells, raised regions, or etched trenches.

95. (previously presented) The method according to claim 94, wherein the solid support is in the form of a microtiter plate.

96. (previously presented) The method according to claim 89, wherein said attaching a linker comprises:
silanizing a surface of the solid support.

97. (previously presented) The method according to claim 89, wherein the solid support is functionalized with olefin, amino, hydroxyl, silanol, aldehyde, keto, halo, acyl halide, or carboxyl groups.

98. (withdrawn) The method according to claim 97, wherein the solid support is functionalized with an amino group by reaction with an amine compound selected from the group consisting of 3-aminopropyl triethoxysilane, 3-aminopropylmethyldiethoxysilane, 3-aminopropyl dimethylethoxysilane, 3-aminopropyl trimethoxysilane, N-(2-aminoethyl)-3-aminopropylmethyl dimethoxysilane, N-(2-aminoethyl-3-aminopropyl) trimethoxysilane, aminophenyl trimethoxysilane, 4-aminobutyl dimethyl methoxysilane, 4-aminobutyl triethoxysilane, aminoethylaminomethylphenethyl trimethoxysilane, and mixtures thereof.

99. (withdrawn) The method according to claim 97, wherein the solid support is functionalized with an olefin-containing silane.

100. (withdrawn) The method according to claim 99, wherein the olefin-containing silane is selected from the group consisting of 3-(trimethoxysilyl)propyl methacrylate, *N*-[3-(trimethoxysilyl)propyl]-*N'*-(4-vinylbenzyl)ethylenediamine, triethoxyvinylsilane, triethylvinylsilane, vinyltrichlorosilane, vinyltrimethoxysilane, vinyltrimethylsilane, and mixtures thereof.

101. (withdrawn) The method according to claim 99, wherein the silanized support is polymerized with an olefin containing monomer.

102. (withdrawn) The method according to claim 101, wherein the olefin-containing monomer contains a functional group.

103. (withdrawn) The method according to claim 102, wherein the olefin-containing monomer is selected from the group consisting of acrylic acid, methacrylic acid, vinylacetic acid, 4-vinylbenzoic acid, itaconic acid, allyl amine, allylethylamine, 4-aminostyrene, 2-aminoethyl methacrylate, acryloyl chloride, methacryloyl chloride, chlorostyrene, dichlorostyrene, 4-hydroxystyrene, hydroxymethylstyrene, vinylbenzyl alcohol, allyl alcohol, 2-hydroxyethyl methacrylate, poly(ethylene glycol) methacrylate, and mixtures thereof.

104. (withdrawn) The method according to claim 101, wherein the support is polymerized with a monomer selected from the group consisting of acrylic acid, acrylamide, methacrylic acid, vinylacetic acid, 4-vinylbenzoic acid, itaconic acid, allyl amine, allylethylamine, 4-aminostyrene, 2-aminoethyl methacrylate, acryloyl chloride, methacryloyl chloride, chlorostyrene, dichlorostyrene, 4-hydroxystyrene, hydroxymethyl styrene, vinylbenzyl alcohol, allyl alcohol, 2-hydroxyethyl methacrylate, poly(ethylene glycol) methacrylate, and mixtures thereof, together with a monomer selected from the group consisting of acrylic acid, methacrylic acid, vinylacetic acid, 4-vinylbenzoic acid, itaconic acid, allyl amine, allylethylamine, 4-aminostyrene, 2-aminoethyl methacrylate, acryloyl chloride, methacryloyl chloride, chlorostyrene, dichlorostyrene, 4-hydroxystyrene, hydroxymethyl styrene, vinylbenzyl alcohol, allyl alcohol, 2-hydroxyethyl methacrylate, poly(ethylene glycol) methacrylate, methyl acrylate, methyl methacrylate, ethyl acrylate, ethyl methacrylate, styrene, 1-vinylimidazole, 2-vinylpyridine, 4-vinylpyridine, divinylbenzene, ethylene glycol dimethacrylate, *N,N'*-methylenediacylamide, *N,N'*-phenylenediacylamide, 3,5-bis(acryloylamido) benzoic acid, pentaerythritol triacrylate, trimethylolpropane trimethacrylate, pentaerythritol tetraacrylate, trimethylolpropane ethoxylate (14/3 EO/OH) triacrylate, trimethylolpropane ethoxylate (7/3 EO/OH) triacrylate, trimethylolpropane

propoxylate (1 PO/OH) triacrylate, trimethylolpropane propoxylate (2 PO/OH) triacrylate, and mixtures thereof.

105. (withdrawn) The method according to claim 99, wherein said forming comprises:

photolithographically masking the solid support;
photochemically deprotecting the linker or outermost nucleotides attached to the solid support at unmasked array positions; and
adding nucleotides with a photoactivatable protecting group at photochemically deprotected array positions.

106. (withdrawn) The method according to claim 105, wherein the photoactivatable protecting group is selected from the group consisting of nitroveratryloxycarbonyl, o-nitrobenzyloxycarbonyl, fluorenylmethoxycarbonyl, dimethyl-dimethoxybenzyloxycarbonyl, oxymethyleneanthraquinone, and mixtures thereof.

107. (withdrawn) The method according to claim 105, wherein the protecting group protects the nucleotides at their 3' or 5' ends.

108. (withdrawn) The method according to claim 105 further comprising:
washing the solid support after said photochemically deprotecting and said adding.

109. (previously presented) The method according to claim 89, wherein the solid support surface is non-hydrolyzable.

110. (withdrawn) The method according to claim 89, wherein the solid support has an array of positions with the plurality of capture oligonucleotides having the same nucleotide sequences.

111. (canceled).

112. (previously presented) The method according to claim 93, wherein each capture oligonucleotide is separated from adjacent capture oligonucleotides by barrier oligonucleotides which are shorter than the capture oligonucleotides.

113-148. (canceled).

149. (previously presented) The method according to claim 89, wherein the multimers are selected from the group consisting of tetramers, pentamers, and hexamers.

150. (previously presented) The method according to claim 149, wherein the multimers are tetramers.

151. (previously presented) The method according to claim 150, wherein the tetramers are non-palindromic and non-repetitive.

152. (previously presented) The method according to claim 150, wherein the tetramers are set forth in Table 1.

153. (previously presented) The method according to claim 150, wherein the capture oligonucleotide probes have nucleotide sequences differing from each other by at least 6 nucleotides.